

Matrices

A matrix is a method of writing a set of numbers using rows and columns.

$$\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix} \quad \begin{bmatrix} 3 & 2 \\ 1 & -5 \\ 7 & 2 \\ 5 & 4 \end{bmatrix} \quad \begin{bmatrix} 2 & 0 & -5 & 10 \\ 12 & 8 & 4 & 9 \\ 25 & -30 & 1 & -1 \end{bmatrix}$$

Reading Information from a Matrix

- Cells in a matrix can be referenced in the form _____.

$$\begin{bmatrix} 3 & -4 & 6 & 5 \\ 7 & 2 & 0 & 1 \\ 5 & 9 & 13 & -2 \\ -10 & -1 & 4 & 3 \end{bmatrix}$$

State the value for each of the following

$$(2, 3) = \quad (1, 4) =$$

State the location of each of the following

$$4 - 1 = \quad 1 =$$

Matrix Addition & Subtraction

- To add matrices, they must be _____.

$$\begin{bmatrix} 2 & 1 \\ 4 & 7 \end{bmatrix} + \begin{bmatrix} 3 & 12 \\ 5 & -2 \end{bmatrix}$$

$$\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix} - \begin{bmatrix} 10 & 3 & 2 \\ -5 & 1 & -1 \end{bmatrix}$$

$$\begin{bmatrix} 1 \\ 2 \\ 4 \end{bmatrix} + [5 \ 2 \ 14]$$

Scalar Multiplication & Division

$$5 \times \begin{bmatrix} 2 & -7 \\ 3 & 4 \end{bmatrix}$$

$$\begin{bmatrix} 6 & -8 & 24 \\ 18 & 22 & -4 \end{bmatrix} \div 2$$

Matrix Multiplication

- The number of _____ in the 1st matrix must equal the number of _____ in the 2nd matrix.

$$\begin{bmatrix} 3 & 5 & 1 \\ 2 & 8 & 4 \end{bmatrix} \times \begin{bmatrix} 2 \\ 3 \\ 1 \end{bmatrix}$$

$$\begin{bmatrix} 2 \\ 3 \\ 1 \end{bmatrix} \times \begin{bmatrix} 3 & 5 & 1 \\ 2 & 8 & 4 \end{bmatrix}$$

$$\begin{bmatrix} 2 & 8 \\ 3 & 4 \\ 1 & 0 \\ 6 & 5 \end{bmatrix} \times \begin{bmatrix} 10 & 3 \\ 2 & 5 \end{bmatrix}$$

Zero Matrix

- All entries in the matrix are _____.

$$\begin{bmatrix} 2 & 4 \\ 3 & 5 \end{bmatrix} + \begin{bmatrix} 0 & 0 \\ 0 & 0 \end{bmatrix}$$

$$\begin{bmatrix} 0 & 0 & 0 & 0 \end{bmatrix} \times \begin{bmatrix} 2 \\ 5 \\ -1 \\ 3 \end{bmatrix}$$

Identity Matrix

- When multiplying by the identity matrix, the original matrix _____.

$$\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

$$\begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

$$\begin{bmatrix} 2 & 4 \\ 3 & 5 \end{bmatrix} \times \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$$

Inverse Matrix

- When a matrix is multiplied by the inverse, the result is an identity matrix

Determine which of the following is the inverse of the matrix $\begin{bmatrix} 3 & 8 \\ 1 & 3 \end{bmatrix}$:

$$\begin{bmatrix} 8 & 3 \\ 3 & 1 \end{bmatrix}$$

$$\begin{bmatrix} 3 & -8 \\ -1 & 3 \end{bmatrix}$$

$$\begin{bmatrix} 2 & 8 \\ 1 & 2 \end{bmatrix}$$

Gauss Jordan Elimination



- You can multiply/divide the rows of an equation matrix by a constant
- You can add/subtract rows to eliminate entries

Find the inverse of the following matrices:

$$\begin{bmatrix} 3 & 8 \\ 1 & 3 \end{bmatrix}$$

$$\begin{bmatrix} 6 & 3 \\ 4 & 1 \end{bmatrix}$$

Equations of Lines in 2-Dimensions

Type	Scalar/Cartesian	Vector
Format		
Example	<p>Find the equation of the line that has a slope of -3 and a y-intercept of 2.</p> 	<p>Find the equation of the line that passes through the point (-1, 5) and has the same direction as the vector $\vec{a} = (2, -6)$.</p> 

Type	Parametric	Symmetric
Format		
Example	<p>Find the equation of the line that passes through the point (-1, 5) and has the same direction as the vector $\vec{a} = (2, -6)$.</p>	<p>Find the equation of the line that passes through the point (-1, 5) and has the same direction as the vector $\vec{a} = (2, -6)$.</p>

State the **direction vector** and **one point** on each of the following lines.


Equation	$\vec{r} = (2, 5) + t(-3, 1)$	$x = 5 + 3t$ $y = 10 - 2t$	$\frac{x-3}{7} = \frac{y+5}{3}$	$2x + 3y = 12$
Direction Vector				
Point				

Find the **direction vector** for each of the following:

- a) A line passing through (4, 5) and (-2, 1) b) A vertical line
- c) A horizontal line d) A line parallel to $y = 4x - 2$
- e) A line perpendicular to $y = 4x - 2$ f) A line with a normal vector $\vec{N} = (2, 7)$

Does the point (1, -7) lie on the line $\vec{r} = (3, 6) + t(2, -5)$?

Find the scalar, vector, parametric, and symmetric equations of the line that passes through the points A (3, 0) and B (9, -4).



Determine whether the following vectors are parallel, perpendicular, or neither:

$$\begin{array}{ll} x_1 = 6 + 2t & x_2 = 10 + 9s \\ y_1 = 10 - 3t & y_2 = -2 + 6s \end{array}$$


Equations of Lines in 3 Dimensions

Scalar	Vector
Parametric	Symmetric

1. Find the vector, parametric, and symmetric equations of the line that passes through $(2, 1, -3)$ and $(5, -7, 4)$.
2. Find the parametric equation of the line that passes through $(8, -10, 5)$ and is parallel to the line $\vec{r} = (5, -7, 4) + t(2, 1, -1)$.
3. Find the symmetric equation of the line that passes through $(2, -1, 5)$ and has a direction vector of $(12, 4, -1)$.

Vector Equation of a Plane

A plane is a flat surface that extends infinitely in all directions.



Vector Equation of a Plane

To find the equation of a plane we need:

- _____
- _____

Write the vector, parametric and symmetric equations of the plane that contains the lines $\vec{r} = (3, 10, -4) + t(4, 0, 1)$ and $\vec{r} = (-6, 6, 7) + t(11, -3, -2)$.

Write the vector and parametric equations of the plane that passes through the point $A(2, 5, 3)$ and contains the line $\vec{r} = (-2, 4, 7) + t(1, 4, -5)$.

Find the vector equation of a plane that passes through the points $A(1, 2, 1)$, $B(4, 5, 1)$ and $C(4, 0, 1)$.

Scalar Equations of Planes

$$\mathbf{0} = \mathbf{Ax} + \mathbf{By} + \mathbf{Cz} + \mathbf{D}$$




$$\text{Normal} = (A, B, C)$$

Find the scalar equation of the plane $\vec{r} = (2, -1, 7) + t(3, 1, 4) + s(1, 0, -4)$.

Find the scalar equation of the plane that passes through the points A(5, 14, -3), B(2, 1, -2), C(0, 4, -1).

Intersection of 2 Lines (2D)

Types of Intersection/Solutions

Type			
Graph			
Description			
Number of Solutions			
Scalar Equations			
Vector Equations			
Solving by Sub or Elim			
Solving by Matrices			
Solving by Vectors			

Scalar Equations

- To determine the intersection point of two lines, you can solve by **substitution, elimination** or **matrices**.

Solve: $3x + 2y + 5 = 0$

$$x - y - 10 = 0$$

Method 1: Substitution

Method 2: Elimination

Method 3: Matrices

Vector Equations

Solve: $\vec{r} = (2, 3) + t(-1, 4)$

$$\vec{r} = (-10, 7) + s(9, 8)$$

Intersection of a Line and a Plane

Determine the intersection of the following lines with the plane $4x + 3y - 2z - 5 = 0$.





a) $\vec{r} = (5, 1, -3) + t(2, -4, 1)$

b) $\vec{r} = (-2, 3, 1) + t(-3, 4, 0)$

c) $\vec{r} = (1, 3, 4) + t(-1, -2, -5)$

Intersection of 2 Lines (3D)

Types of Intersection/Solutions

Type				
Graph				
Description				
Number of Solutions				
Vector Equations				
Solving				

Solve:

$$\vec{r} = (2, 4, -1) + t(2, 1, -1)$$


$$\vec{r} = (4, 5, 7) + s(-2, -1, 1)$$


Solve: $\vec{r} = (10, -3, 1) + t(1, 1, -1)$
 $\vec{r} = (7, -6, 4) + s(2, 2, -2)$


Solve: $\vec{r} = (4, 2, -1) + t(3, 0, 1)$
 $\vec{r} = (-3, 3, -7) + s(1, -1, 4)$

Solve: $\frac{x-1}{4} = \frac{y-3}{3} = \frac{z-3}{1}$ $\frac{x-2}{3} = \frac{y-2}{3} = \frac{z-10}{2}$


Intersection of Planes – 2 Planes


Type	Solution	Description
How To Draw		You Try
		


Type	Solution	Description
How To Draw		You Try
		

Type	Solution	Description
How To Draw		You Try
		

Intersection of Planes – 3 Planes

Type	Solution	Description
How To Draw		You Try
		


Type	Solution	Description
How To Draw		You Try
		


Type	Solution	Description
How To Draw		You Try
		

Type	Solution	Description
How To Draw		You Try

Type	Solution	Description
How To Draw		You Try

Type	Solution	Description
How To Draw		You Try

Type	Solution	Description
<p style="text-align: center;">How To Draw</p> 		<p style="text-align: center;">You Try</p>

Type	Solution	Description
<p style="text-align: center;">How To Draw</p> 		<p style="text-align: center;">You Try</p>

Configurations of Planes

To determine whether or not planes intersect, they need to be written in _____ form.

Helpful Information		
<p><u>Parallel Planes</u></p> <p>The _____ are the same or scalar multiples</p> $2x + 5y - 3z + 10 = 0$	<p><u>Coincident Planes</u></p> <p>The _____ are the same or scalar multiples</p> $2x + 5y - 3z + 10 = 0$	<p><u>Intersecting Planes</u></p> <p>The _____ are different.</p> $2x + 5y - 3z + 10 = 0$

Determine the configuration of each of the following sets of planes and state the solution. Draw a geometric representation of each.

a) $4x - 2y + z - 3 = 0$
 $8x - 4y + 2z - 3 = 0$

b) $10x - 6y + 4z - 8 = 0$
 $15x - 9y + 6z - 12 = 0$

c) $3x + 5y - 2z + 1 = 0$
 $2x + 5y + z - 6 = 0$

d) $2x + 3y + 5z - 4 = 0$
 $4x + 6y + 10z + 3 = 0$
 $10x + 15y + 25z - 7 = 0$

e) $5x + 3y - 4z + 2 = 0$
 $5x + 3y - 4z + 10 = 0$
 $35x + 21y - 28z + 14 = 0$

f) $x - y + 7z - 3 = 0$
 $2x - 2y + 14z - 6 = 0$
 $10x - 10y + 70z - 30 = 0$

g) $9x - 3y + 12z + 6 = 0$
 $x - y + 3z + 2 = 0$
 $15x - 5y + 20z - 10 = 0$

h) $x - 7y - 10z + 9 = 0$
 $3x + 4y - z + 4 = 0$
 $18x + 24y - 6z + 24 = 0$

Solving For The Intersection of 2 & 3 Planes

Solving means finding the _____, _____, or _____
where two or more planes intersect.

1. Determine the **point** of intersection of the following planes. Include a geometric representation.

$$3x + y + 4z + 3 = 0$$

$$2x - 5y + 3z + 13 = 0$$

$$5x + 3y - 2z + 11 = 0$$

2. Determine the equation of the **plane** of intersection of the following planes. Include a geometric representation.

$$2x - 7y + 4z - 3 = 0$$

$$4x - 14y + 8z - 6 = 0$$

$$10x - 35y + 20z - 15 = 0$$

3. Determine the equation of the **line** of intersection of the following planes. Include a geometric representation.

$$2x + 10y - 3z + 1 = 0$$

$$2x - 8y + 3z - 5 = 0$$

4. Determine the equation of the **line** of intersection of the following planes. Include a geometric representation.

$$x + 4y + 3z - 6 = 0$$

$$3x + 2y - z + 2 = 0$$

$$3x + 14y + 11z - 22 = 0$$

5. Solve the following. Include a geometric representation.

$$10x - 3y - 7z + 18 = 0$$

$$12x - 11y - z + 66 = 0$$

$$22x - 14y - 8z + 158 = 0$$

Plane Practice

Solve for the intersection of the following planes. Draw a geometric representation of each.

a) $5x + 3y - 2z + 1 = 0$
 $2x + 4y + 2z - 8 = 0$
 $4x + 3y - z + 5 = 0$

b) $\pi_1 : x + 7y - 6z + 17 = 0$

$\pi_2 : \vec{p} = (7, -2, 3) + s(1, 1, 2) + t(9, -5, -3)$

$\pi_3 : \begin{cases} x = 2 + 4s + t \\ y = 4 + s + 9t \\ z = 4 - 2s + 3t \end{cases}$